


Feeding Tubes




with ENFit™ connector

Intended use:

A feeding tube is inserted through the nose or mouth via oesophagus into the stomach, in order to administer medicine, liquids and/or enteral feeding by means of a syringe or tubing. The product is intended for single use only.



Product range:

	Effective length mm	Tube, Outer diameter, mm 					
		1.40	1.67	2.00	2.67	3.33	4.00
		CH04 REF*	CH05 REF*	CH06 REF*	CH08 REF*	CH10 REF*	CH12 REF*
	380	1213418x	1213618x	1213818x	1214018x	1214218x	
Metric with x-ray line	480	1213518x	1213718x	1213918x	1214118x	1214318x	
	730	1214918x	1215018x	1215118x	1215218x	1215318x	
Metric with x-ray line marking 400 mm	980		1214418x	1214518x	1214618x	1214718x	1214818x

* Here noted as x, reference codes contain an additional digit (1-5) representing a language code.
 Products may not be available in all countries. Please contact your regional ConvaTec sales representative for further information.

Material specifications:

- Contains latex? No
- Contains phthalates? No
- Tube Polyvinyl chloride
- ENFit™ connector. Polyvinyl chloride
- ENFit™ connector cap High density polyethylene
- ENFit™ connector strap. Low density polyethylene

Certifications:

- CE-marking? Yes (CE 0086)
- Product classification Class IIB
- Quality system certified to ISO 13485
- Global Medical Device Nomenclature (GMDN). 14221

Sterilization:

- Sterile? Yes
- Sterilized by Ethylene oxide
- Shelf life 5 years

Feeding Tubes

with ENFit™ connector



Packaging specifications:

REF	Primary package	Secondary package/Shelf box	Tertiary package/Shipper			Pallet	
	Qty, pcs	Qty, pcs	Dimensions, mm (LxWxD)	Qty, pcs	Dimensions, mm (LxWxD)	Volume m ³	Qty, pcs
1213418x	1	100	297 x 190 x 366	400	391 x 304 x 743	0.088	6,000
1213518x	1	100	297 x 190 x 366	400	391 x 304 x 743	0.088	6,000
1213618x	1	100	297 x 190 x 366	400	391 x 304 x 743	0.088	6,000
1213718x	1	100	297 x 190 x 366	400	391 x 304 x 743	0.088	6,000
1213818x	1	100	297 x 190 x 366	400	391 x 304 x 743	0.088	6,000
1213918x	1	100	297 x 190 x 366	400	391 x 304 x 743	0.088	6,000
1214018x	1	100	297 x 190 x 366	400	391 x 304 x 743	0.088	6,000
1214118x	1	100	297 x 190 x 366	400	391 x 304 x 743	0.088	6,000
1214218x	1	100	297 x 190 x 366	400	391 x 304 x 743	0.088	6,000
1214318x	1	100	297 x 190 x 366	400	391 x 304 x 743	0.088	6,000
1214918x	1	100	297 x 190 x 366	400	391 x 304 x 743	0.088	6,000
1215018x	1	100	297 x 190 x 366	400	391 x 304 x 743	0.088	6,000
1215118x	1	100	297 x 190 x 366	400	391 x 304 x 743	0.088	6,000
1215218x	1	100	297 x 190 x 366	400	391 x 304 x 743	0.088	6,000
1215318x	1	100	297 x 190 x 366	400	391 x 304 x 743	0.088	6,000
1214418x	1	100	297 x 190 x 366	400	391 x 304 x 743	0.088	6,000
1214518x	1	100	297 x 190 x 366	400	391 x 304 x 743	0.088	6,000
1214618x	1	100	297 x 190 x 366	400	391 x 304 x 743	0.088	6,000
1214718x	1	100	297 x 190 x 366	400	391 x 304 x 743	0.088	6,000
1214818x	1	100	297 x 190 x 366	400	391 x 304 x 743	0.088	6,000

Storage and handling:



ConvaTec Limited

First Avenue
Deeside Industrial Park
Deeside, Flintshire, CH5 2NU, UK

Distributed by



ConvaTec Limited
First Avenue, Deeside Industrial Park
Deeside, Flintshire, CH5 2NU, UK

www.convatec.com

For further information on these products, please contact your local ConvaTec sales representative.

With reservations for misprints and alterations in product specifications. Printed version not controlled.

ENFit is a trade mark of GEDSA used with their permission.

All other trade marks and logos are the property of a ConvaTec group company.

© 2017 ConvaTec Inc. AP-018417-MM, ver. NOV 2017